



AERO SPACE POWER

CERTIFIED MRO SHOP

AVIATION





AERO SPACE POWER

CERTIFIED MRO SHOP

EUROPE



HUNGARY






ENGINES

CFM56-5B / 7B



CF34-10E



GE90-94B / 115B



CF6-80C2 / E1



Certifications





AERO SPACE POWER

CERTIFIED MRO SHOP

Customers





AERO SPACE POWER

CERTIFIED MRO SHOP

Capabilities

GE 90 100 OGV
2027



2023



2024



2025



2026



CFM56-7B - FAN OGV
CFM56-5B - FAN OGV
CF34-10E - FAN OGV
CF6-80C2 - FAN OGV
CF6-80E - FAN OGV



2026

CF6-80C2 - Support Panel
CF6-80E - Support Panel



2026

CF34-10E -
Flowpath
segment

2027
CF6-80C2
SHROUD



CFM56-7B - Tubes, Ducts
CFM56-5B - Tubes, Ducts
CF34-10E - Tubes, Ducts



2023

2026



CFM56-5B/7B - LPT
FWD Rotating Air Seal

2026



CFM56-5B/7B - LPT STG1 NOZZLE
SEAL

2025



CFM56-7B - Cooling Manifold
CFM56-5B - Cooling Manifold

2027



CF6-80C2 - Stage 1 Fan
Rotor Blade Retainers,
Spacers and Keys

2027



CFM56-7B - Cooling inlet Tube
CFM56-5B - Cooling inlet Tube



AERO SPACE POWER

CERTIFIED MRO SHOP

Components



AERO SPACE POWER

CERTIFIED MRO SHOP

CFM56-7B Fan OGV

Engine	CFM56-7B
ATA	72-09-03
PN	340-002-305-0
YIELD	over 90%
TAT	5-21days






AERO SPACE POWER

CERTIFIED MRO SHOP

CFM56-5B Fan OGV

Engine	CFM56-5B
ATA	72-23-03
Typic PN	338-067-014-0
YIELD	over 89%
TAT	5-30days





AERO SPACE POWER

CERTIFIED MRO SHOP

CF34-10E FAN OGV

Engine	CF34-10E
ATA	72-23-03
PN	2032M97G02
YIELD	over 87%
TAT	5-30days





AERO SPACE POWER

CERTIFIED MRO SHOP

CF6-80C2/E FAN OGV

Engine CF6 80 C2 / E

ATA 72-23-08

Typic PN 1536M42G03

YIELD over 85%

TAT 5-30days





AERO SPACE POWER

CERTIFIED MRO SHOP

CF6-80C2/E INNER SUPPORT


Engine CF6 80 C2 / E

ATA 72-23-08

Typic PN 1471M60G06

YIELD over 85%

TAT 5-30days





AERO SPACE POWER

CERTIFIED MRO SHOP

CFM56-5B/7B LPT COOLING MANIFOLD


Engine CFM56-5B/7B

ATA 72-54-11

Typic PN 340-027-508-0

YIELD 100%

TAT 5-21days





AERO SPACE POWER

CERTIFIED MRO SHOP

CFM56-5B/7B TUBES

Engine CFM56-5B/7B

ATA 72-09-03

Typic PN 1869M47G01


YIELD 95%

TAT 5-17days



CF34-10E -HOSE AND TUBE ASSEMBLIES

Engine	CF34-10E
ATA	72-09-03
Typic PN	2030M21G01
YIELD	95%
TAT	5-17days





AERO SPACE POWER

CERTIFIED MRO SHOP

CF34-10E -FAN FRAME FLOWPATH SEGMENT

Engine	CF34-10E
ATA	72-23-03
Typic PN	2601M03G01
YIELD	95%
TAT	5-17days





AERO SPACE POWER

CERTIFIED MRO SHOP

NEW NPI-S

CFM56-5B&CFM56-7B - LPT Stage 1 Nozzle Seal

Engine	CFM56-5B/7B
ATA	72-53-07
Typic PN	338-111-003-0

Nickel, Chromium, Aluminium Powder

End of 2026



CFM56-5B&CFM56-7B - LPT FWD

Rotating Air Seal

Engine CFM56-5B/7B

ATA 72-54-16

Typic PN 336-026-302-0

Nickel, Chromium, Aluminium Powder

End of 2026





AERO SPACE POWER

CERTIFIED MRO SHOP

CF6-80C2/E - Comp. FAN OGV REP008, REP020, REP021, REP022, SB

Engine	CF6-80C2
ATA	72-23-08
Typic PN	2834M09G01

Polyurethane leading edge repairs

2027 Q1





AERO SPACE POWER

CERTIFIED MRO SHOP

CF6-80C2 - Fan Blade Spacer

Engine	CF6-80C2
ATA	72-21-11
Typic PN, BLADE KEY	9319M24G03
Typic PN, RETAINER-STG	1531M86P05
Typic PN, SPACER	9326M60P01

2027 Q1

REATINER



KEY

SPACER



Aluminum, Bronze Powder



AERO SPACE POWER

CERTIFIED MRO SHOP

Technology

Horizontal Vacuum Furnace

AMS 2750F, Class 2, Type B Qualified

Working Zone: 1300x1500x1000 mm

Max Load Gross Weight: 2000 kg

Max Temperature: 1300 °C

Temperature Uniformity: ± 5 °C

Operating Vacuum: 1×10^{-4} Torr

Quenching Gas: Nitrogen, Argon

Max Quenching Pressure: 1,5 bar abs.



Thermal spray

Applicable coating materials:

30+ (T800, Inco, Rene, etc.)

Applicable parent materials:

**20+ (Inconel-, Rene alloys,
Aluminum, etc.)**




Painting Booth

**High-Strength Precision Painting of
Parts Exposed to High Operating
Stresses**

**Separate Filter Surface and Vacuum
to Achieve the Perfect Paint Surface.**

Internal Dimensions:

3420x3420x2800 mm





AERO SPACE POWER

CERTIFIED MRO SHOP

Heavy-Light Duty Alkaline Cleaner

Chemical Cleaning of Metal and Rubber Parts

Ardrox 185L / Ardrox 6367

Tank Size: 1500x1500x1500 mm

4 Heated Tanks + 2 Cold Rinse Tanks

Operation Temperature: RT – 98 °C



Welding Capacity

Fillet and Butt weld Capable

Welding qualification: AWS D17.1

II.A - Austenitic stainless steel

III.A - Nickel base alloys

III.B - Precipitated hardened nickel base alloys

IV. - Aluminum alloys

VI. - Titanium alloys

VII. - Cobalt alloys





AERO SPACE POWER

CERTIFIED MRO SHOP



HEADQUARTER: HUNGARY, 4600 KISVÁRDA, TEMESVÁRI U. 17.



SALES OFFICE: HUNGARY, 1158 BUDAPEST, HŰTŐ U. 1.



ENG. OFFICE: HUNGARY, 4030 DEBRECEN, REPÜLŐTÉRI ÚT 12.

Contact Us:



Mark Peter BIRO
Senior Director of Sales & Marketing

Phone: +36 30 472 5658

Email: markpeter.biro@tasp.aero



Karl PLATZER
North America, South America,
LATAM Sales Manager

Phone: +1 239 738 0664

Email: karl.platzer@tasp.aero



Christian KOZMA
Sales Representative

Phone: +36 70 430 6424

Email: krisztian.kozma@tasp.aero



Sidney SATO
Brasil, Argentina, Chile,
Colombia Sales Manager

Phone: +55 11 99104-5385

Email: sidney.sato@tasp.aero



Web Page



LinkedIn



X



The145.com